Copy 102 86 Pages

September 1964

EVALUATIONS OF SOVIET SURFACE-TO-SURFACE MISSILE DEPLOYMENT 14TH REVISION

A Report of the Deployment Working Group

of the

Guided Missiles and Astronautics Intelligence Committee

25X1

Declass Review by NIMA/DOD

TOP SECKET

GROUP 1
Excluded from automatic
downgrading and declassification

EVALUATIONS OF SOVIET SURFACE-TO-SURFACE MISSILE DEPLOYMENT 14TH REVISION

A Report of the Deployment Working Group

of the

Guided Missile's and Astronautics Intelligence Committee

September 1964

Approved	For Release 2003/12/09:0	CIA-RDP78T05439A0	00400210029-7	,	· · · · · · · · · · · · · · · · · · ·	2
	N.				-	2
		F.	•			
		•	. :		•	
		· ·				l
				• .		
25X1A	GUIDED MISSILES AND ASTR	ONAUTICS INTELLIGENCE	E COMMITTEE			
· .		ENT WORKING GROUP MEMBERSHIP			•	
	23/14	IS MDERSHII	. ,	•		· .
•					. •	- -
•						
. See the second of the secon	NOTE: All correspondence rela Chairman, Guided Missiles and Chairman	tive to this report should b Astronauties Intelligence Co	e directed to the minittee (GMAIC).	, v	•	
						•
	0		•			
			•		•	
				1.	-	
						, .
	:				•	-
			•		÷	
	And the second second		•			
					·	
						. 2
•	TOP SECRET					

Approved For Release 2503/12/09 CIA-RDP78T05439A000400210029-7

-	.	CONTENTS		Page
INTRODU	CTION		· · · · · · · · · · · · · · · · · · ·	1
Table 1.		enated Status of Identified ICBM, I lexes		59
Table 2.	Summary Evaluati	on of Soviet ICBM Deployment		60
Table 3.	Summary Evaluati	on of Soviet IRBM Deployment .		64
Table 4.	Summary Evaluati	on of Soviet MRBM Deployment		66
Table 5.	Summary Evaluati	on of Soviet Fixed Field Sites (SS	SM Fixed Field Positions)	73
Table 6.	Composition of IRI	BM/MRBM Complexes		76

25X1

TOP SECRET Approved For Release 2003/12/09 : CIA-RDP78T05439A000400210029-7

ILLUSTRATIONS

•		Page	•
FIGURE 1.	DEPLOYMENT OF SOVIET ICBM COMPLEXES Faci	ng l	
FIGURE 2.	TYPICAL CONFIGURATIONS OF ICBM LAUNCH SITES, AND EXPLANA-		
	TION OF TYPES	2 ·	
FIGURE 3.	ABANDONED ICBM LAUNCH SITES AT GLADKAYA, KOZELSK, AND TEYKOVO	15	. •
FIGURE 4.	NEW ICBM COMPLEX, ZHANGIZ - TOBE	17	
FIGURE 5.	COMPLEX SUPPORT FACILITY, ZHANGIZ-TOBE	18	
FIGURE 6.	LAUNCH SITES A (1) AND B (2), ZHANGIZ-TOBE	19	
FIGURE 7.	LAUNCH GROUP D, OLOVYANNAYA	21	
FIGURE 8.	PRÓBABLE SUPPORT/CONTROL FACILITY, LAUNCH GROUP D, OLOVYANNAÝA	22	
FIGURE 9.	LAUNCH SITES D1 (4)-D6 (10), LAUNCH GROUP D, OLOVYANNAYA	. 23	
FIGURE 10.	LAUNCH SITE I (3), YEDROVO	24	
FIGURE 11.	LAUNCH SITE A (1), OMSK; LAUNCH SITE E (5), KOZELSK; AND LAUNCH COMPLEX F (5), TYURATAM		
			7
FIGURE 13.	LAUNCH SITE A3 (15) TYURATAM	. 27	_
	LAUNCH SITES B2 (16) AND B3 (17), TYURATAM		
FIGURE 15.	LAUNCH COMPLEX G, TYURATAM	29	
	LAUNCH COMPLEX H (8), TYURATAM		•
FIGURE 17.	LAUNCH COMPLEX I (14), TYURATAM	32	
	COMPLEX J, TYURATAM		
FIGURE 19.	LAUNCH COMPLEX K (13), TYURATAM	34	
	SECURED AREA WEST OF LAUNCH COMPLEX G, TYURATAM		
FIGURE 21.	REVETTED STORAGE AREA WEST OF LAUNCH COMPLEX G,	35	
	1 1 C 10.11.1.11		

25X2

TOP SECRET | - Approved For Release 2003/12/09 : CIA-RDP78T05439A000400210029-7


ILLUSTRATIONS (Conținued)

 5XZ		Page
FIGURE 30.	DEPLOYMENT OF SOVIET IRBM/MRBM COMPLEXES	44
FIGURE 31.	TYPICAL CONFIGURATIONS OF IRBM/MRBM LAUNCH SITES	46
FIGURE 32.	UNIDENTIFIED-TYPE SOFT SURFACE-TO-SURFACE MISSILE LAUNCH	
	FACILITY, PLESETSK	
	LAUNCH SITE 5C1, KAPUSTIN Y'AR	
	IRBM LAUNCH SITE, GUANAJAY, CUBA	
	SOVETSKAYA GAVAN MRBM LAUNCH SITE	
	TRAKTOVYY IRBM LAUNCH SITE	
	BOLSHAYA KAMENKA IRBM LAUNCH SITE	
	MOLOSKOVITSY MRBM LAUNCH SITE 1	
	VAINODE IRBM LAUNCH SITE	
FIGURE 40.	LAUNCH AREAS 1C, 2C, AND 3C, KAPUSTIN YAR	56
FIGURE 41.	LAUNCH SITES 4C1 AND 4C2, KAPUSTIN!YAR	. 57
	LAUNCH SITES 5C1 AND 5C2, KAPUSTIN YAR	
	NEW RAIL SPUR UNDER CONSTRUCTION AT LAUNCH COMPLEX C,	
	MADUCTINI WAD	58

PREFACE

This report, published bimonthly by the GMAIC Deployment Working Group (DWG), provides a comprehensive, ready-reference listing of all 4CBM, IRBM, and MRBM deployment locations, types of site configurations, photographic references, estimated construction and operational status, and other evaluations by the DWG. These data constitute the majority view of the DWG membership, and may not correspond precisely to individual assessments by each member. Additional data may be added to future revisions.

Dissemination of the report was previously limited to holders of the DWG report, Soviet Surface-to-Surface Missile Deployment. Because the information contained herein is both supplemental and self-sustaining, distribution will no longer be limited to holders of the above report.



TOP SECRET | Approved For Release 2003/12/09 : CIA RDP78T05439A000400210029-7

INTRODU	25X1D 25X1D
This report is the 14th Revision of Evaluations of Soviet Surface-to-Surface Missile De-	
ployment prepared by the Deployment Working	·
Group of the Guided Missiles and Astronautics	and continuing
Intelligence Committee. The 13th Revision,	analysis of previous missions and other sources,
dated 1 June 1964, and disseminated under con-	have provided additional information on the
trol number can be destroyed	Soviet strategic ballistic missile deployment
in accordance with existing instructions for	program. The new data are reflected in Table 1 and in the estimated operational status shown
handling ma-	in Tables 2, 3 and 4. Cutoff date for information
terials.	contained in this report is 15 August 1964.
*	contained in this report is to August 1701.
25X1D	
SOVIET ICBM	DEPLOYMENT
A wealth of information gained from	silo configurations of several different varia-
missions and other sources since our	tions, probably for a new missile system(s).
last revision indicates that the Soviet ICBM de-	CURRENT DEPLOYMENT
ployment program continues to be characterized	The number of identified ICBM complexes
by change, interruptions, and shifts in emphasis.	is now 19, following the identification of a new
This information provides additional evidence	complex at Zhangiz-Tobe (49-13N 81-09E)con-
confirming previous assessments as to the extent	taining two probable hard sites of single-silo configuration. Construction of this complex was
and pace of ICBM deployment. In addition, sig-	probably initiated late in the first new
nificant new aspects have been detected, although	complex begun since late in See Figure 1
the image of the current Soviet deployment	for locations of deployed ICBM complexes.
1D program is not clearly defined. Significant new aspects identifiable in the	
deployment of Soviet ICBMs include: (a) con-	confirmed and probable launchers in various
firmation that new construction starts of known	stages of construction, of which 146 are soft
1D configurations, both hard and soft, ceased in	and 95 are hard. Included in the totals, in ad-
(b) abandonment of several	dition to the 2 single silos at Zhangiz-Tobe,
sites, both hard and soft, while still in an early	is what appears to be a 6 single-silo-configured
stage of construction; (c) significant decrease in	site at Olovyannaya. Eleven of the complexes
the number of construction starts during the last	contain both hard and soft launchers, 4 contain
X1D half of over those identified in the previous	only soft, and 4 have silos only. The number of
(d) change in emphasis from soft to	sites identified at a complex range from a low of
hard site construction starts beginning in the	one at Omsk to a high of 11 at Yurya. We can-
X1D and (e),	no: determine any typical number of sites or
perhaps most significant of all, the construction	launchers which each complex will ultimately
at Tyuratam and at deployed complexes of single-	contain.
	· · · · · · · · · · · · · · · · · · ·
·	
TOP SECRET	

Of the 241 identified launchers, 197 are considered to be operational, including 51 in a hard configuration. In addition, we believe that 19 of the 35 confirmed and probable launchers at the Tyuratam Missile Test Center, including 6 hard, are operational. Included in the total launchers at the TTMTC are 6 probable single silos under construction, as well as new soft launch areas at Complexes A and G.

The ICBM launch sites have been designated by type, as shown and explained in Figure 2. We are currently unable to determine whether the single-silo configurations identified at Tyuras, tam, Olovyannaya and Zhangiz-Tobe represent construction and deployment of one or several different types of systems. Neither can we ascertain the final site configuration(s). Therefore we have not added it to Figure 2 and will refer to this configuration s) for the time being as Type III (single), regardless of the number of silos identified at the site concerned.

Evaluation of all evidence received since our last revision has resulted in changes noted at the following deployed complexes:

ADDITIONS:

OLOVYANNAYA, Launch Group D (4-10), Type III (single), under construction

YEDROVO, Launch Site L(3), Type IIIA, complete

ZHANGIZ-TOBE New complex), Launch Site A (1), probable Type III (single), under construction: Launch Site B (2), probable Type III (single), under construction

· DELETIONS:

GEADKAY-A, Launch Site C (4), Type IIIA, abundoned KOZELSK, Launch Site C (1), Type IIIB, abandoned

OMSK, Launch Site B (2), Type IIIB, abandoned (previously carried as possible)

TEYKOVO, Launch Site G (7), Type IID, abandoned

The following changes were noted at the Tyuratam Missile Test Center:

ADDITIONS:

- LAUNCH COMPLEX A, Launch Site A3 (15), probable Type III (single), under construction
- LAUNCH COMPLEX B, Launch Site B2 (16), probable Type III (single), under construction, Launch Site B3 (17), probable Type III (single), under construction
- LAUNCH COMPLEX G, Launch Site G5-G6 (12), Type undetermined, under construction; Launch Site G7 (18), probable Type III (single), under construction; Launch Site G8-G9 (19), probable, Type undetermined, under construction
- LAUNCH COMPLEX 1 (14), probable Type III (single), under construction
- COMPLEX J. Type undetermined, under construction
- LAUNCH COMPLEX K (13), probable Type III (single), under construction

CESSATION OF INITIATION OF TYPE, IID AND IIIA SITE CONSTRUCTION

In our last revision we pointed out that we
had identified no new construction starts o
known configurations since
Extensive coverage of deployed com-
plexes since has failed to revea

25X1D

25X1D

served, and contains a complex support facility (Figure 5) and 2 road-served launch sites located approximately 5 nm apart, each containing

present on Launch Site D1(4) is located 3.4 nm north of

25X1D

25X1D

<u>.</u>		25X1D	」 25)
25X1D	the probable support/control facility (Figure 9). It consists of a shallow excavation with probable	track activity are in the vicinity. There was no evidence of this site on First evidence of activity was obtained or	
25X1D 25X1D	coring. This activity can be negated on Mission first activity was apparent on	YEDROVO COMPLEX	25X1D
	Launch Site D2' (5) is located 2.4 nm east- northeast of the probable support/control facility (Figure 9). It consists of a shallow excavation	Excellent coverage of the Yedrovo ICBN Complex on finall solved the enigma of Launch Site I (3), reveal	25X1D
25X1D 25X1D	and 3 spoil piles. This site can be negated in First evidence of	ing that it is a completed Type III.) site (Figure 10) and that no camouflage or other deceptive measures had been employed to concern	
25X1D	activity was apparent on	it. The site was first observed on and on several subsequent mis] 25X1D
. 05V4D	of the probable support/control facility (Figure 9). It consists of a graded area containing a shallow circular excavation. There was no	sions. Photographic coverage of this facilit was poor, however, and until we were unable to ascertain its function.	∑ 25X1□ □ 25X1□
25X1D 25X1D 25X1D	evidence of this site on First evidence was apparent on	OMSK COMPLEX Omsk Launch Site A (1), a Type IIIB site	2,
23/10	and track activity in the vicinity has increased considerably since that time.	was covered by good quality stereo photograme on This coverage confirmed that the site is complete, revealir	^e 25X1D
	Launch Site D4 (8), located 3 nm southwest of the probable support control facility, can be identified as a silo under construction (Figure	an electronic facility similar to the one a Tyuratam Launch Complex F (5), the Type III prototype (Figure 11). Preliminary measure	В
	9). It is a structure, approximately 35 feet square, in an excavation. A probable building, 100 by 30 feet, is under construction approxi-	ments indicate that the legs of this facility an about 1,250 feet long. Coverage of possible Launce	_{eh} 25Х1Е
25X1D	mately 700 feet west of the silo. There was no evidence of this site on Activity was first observed in	Site B (2) at 40msk again revealed no further progress in construction, and we are dropping this site from Table 2.	er ng
25X1D		 Launch Site E (5), a Type IIIB site, was complet 	e,
25X1D	ing possible coring and a 100- by 30-foot probable building under construction. There was no evi-	including an electronic facility similar to tho	se .
25X1D 25X1D	dence of this site in First activity was observed on	PERM COMPLEX * We have examined an area of activity	
	Launch Site 136 (10) is located 4 nm north west of the probable support control facility (Figure 9). It consists of a generally square excavation and a spoil pile. Ground scarring and	12). The majority consider this area as suspection of a single-silo launch site. One member b	ct .
		- 5 -	
J	TOP SECRET		

TOP SECRET Approved For Release 2003/12/09 : CIA-RDP78T05439A0004002110029-7

_____IOP SECREI | Approved For Release 2003/12/09 : CIA-RDP7<u>8</u>T05439A000400210029-7

TYURATAM, MISSILE TEST CENTER

Test Range Facilities

25X1D 25X1D

25X1D

Excellent coverage of the rangehead on supplemented by later the same fair coverage on month, continues to indicate that the pace of construction at the missile test center is very high and still increasing. There are now 35 confirmed and probable läunch points at 11 separate complexes. New launchers include 6 probable single-silo configurations at a total of 5 complexes, 2 new soft launch areas at Complex G, and a probable single soft pad at Launch Complex B. The new construction is intended to support - (4). current and future Soviet ICBM and space exploration programs. Single-silo designs are probably development efforts to decrease weapons system vulnerability, but the missile system (s) for which; these silos are intended cannot bedetermined at this time.

At Launch Complex A, a new launch facility designated A3 (15) has been identified approximately 4,300 feet south of Pad A1 (1). It consists of a road-served secured area containing a probable launch silo coring, approximately in diameter, in the center of a shallow excavation (Figure 13). The approach road terminates in a loop beside the excavation. A 155-by 50-foot building has been constructed along the approach road.

At Launch Complex B, two probable new launch facilities have been identified. One, designated B2 (16), is located approximately 2,900 feet west of Pad B1 (2). It consists of a road-served secured area containing a probable launch silo under construction, approximately 30 feet in diameter, and a probable semiburied building (Figure 14). A 150- by 50-foot building is located adjacent to the access road. The other new facility, designated B3 (17), consists of a single probable launch pad within a secured area 5,500 feet northeast of Pad B1 (2). The

new pad (Figure 14) is similar in size and configuration to those at Launch Complex C (3). The secured area also contains 2 buildings and a loop road system.

25X9

No changes were noted at Launch Site D1 (4). Construction is continuing at Launch Site D2 (4), but the site is not yet complete.

25X9

The most significant aspect of the coverage of Launch Complex F (5) is the clarity with which the electronic facility can be observed (Figure 11). The elements of the electronic device are clearly discernible, and what appear to be dome-like silo covers protect the antennas, indicating hardening probably comparable to that of the other site elements.

Construction activity and the expansion of launch facilities at Launch Complex G are continuing at a rapid pace, and appear to be capable of supporting space operations using a booster larger than the SS-6. Launch Site G1 /G2 (7), containing 2 grail-served soft pads 900 feet apart, is complete and has been used for firings of a new ICBM which GMAIC has designated the SS-10 (Figure 15). The gantries or service towers at this launch site are about 120 feet tall, as contrasted with the 70- foot tall tower at Pad A1 (1) at Launch Complex A (1). Two rail cars, each approximately 65 feet long, were observed in line between one launch pad and its associated ready building on

25X1D

TOP SECRET | Approved For Release 2003/12/09 : CIA-RDP78T05439A000400210029-7

25X1D

The electronic facility associated with this site is L shaped, with base legs 1,300 feet long. Launch Site G3/G4 (11) is in a late stage of construction (Figure 15). It consists of 2 rail-served launch pads, each approximately 90 feet wide, separated by a distance of approximately 1,900 feet. The sides of the excavation associated with the easternmost pad appear to be surfaced or treated, suggesting blast deflection to the sides of the pad. Each of the 2 mobile gantries in this area is almost 200 feet tall. The rail (which enters the launch area branches into 5 or possibly 6 spurs; 3 serve the eastern pad, and the others the western. At least 6 buildings in

25X1D

25X1D 25X1D

25X1D 25X1D At Launch Complex G, 3 new launch areas, designated G5 G6 (12), G7 (18), and G8 G9 (19) respectively, were identified on

Launch Site G5, G6 (12), a road-served con-

the launch area have been earth mounded since

struction area, is located approximately 5,000 feet west of G1 (7). The first indication of construction was on

It contains the excavations for 2 pad areas approximately 600 feet apart (Figure 15). A shallow third excavation containing a small structure is located forward of, and centefed between, the 2 original excavations. The 3 excavations are connected by ditching. At least 5 buildings are under construction along the access road to the sites. The area'ts reminiscent

Launch Site G7 (18), a probable single-silo launcher in a very early stage of construction, is located south of Launch Site G1 G2 (Figure 15). The area includes an access road and probable coring with a diameter of approximately 30 feet.

of the early stage of construction of Launch

Site G1/G2 (7).

Launch Site G8, G9 (19) is located 6,500 feet from G1 and 7,500 feet from G2, but to the rear

of a projected line connecting these 2 areas (Figure 15). The construction area is served by a road branching off the access road to G1. Construction of this road was first observed on The activity consists of 2 buildings under construction and

consists of 2 buildings under construction and 3 shallow excavations connected by ditching. A shallow ditch connects this area with G3 (12).

Launch Complex H (8), consisting of 2 launch pads and an electronic facility, is possibly the prototype for a rail-served ICBM launch facility. The complex is complete and had a clean, finished appearance by Mission (Figure 16). An L-shaped

guidance facility with 1,200-foot base lines, similar to the guidance facility detected south of Launch Site D2 in the spring of _____ exists to the southeast of the launch area. The inter-

ferometers at Site D2 and Launch Complex H are believed to be intended for use with the SS-9. The layout of facilities indicates that Launch Complex H is probably a soft integral configuration in which most of the launch servicing equipment is permanently installed in bunkered structures near the launch positions, thereby providing some degree of hardening when in Readiness Condition 3. The building located 350 feet north of each Taunch pad is probably the ready building, with inside dimensions approximately 235 by 50 feet. The size of this facility is adequate to house an initial salvo and a refire missile, allowing a width of 25 feet per missile. The bunkered wing building located approximately 90 feet east and west of each launch pad has an inside dimension approximately 115 by 35 feet. Their function is probably associated with propellant storage

and transfer. The bunkered building approxi-

mately 100 feet south of each launch point is

probably a shelter (120 by 35 feet inside dimen-

sions) for storage of the erector and other

equipment.

25X1

25X1D

25X1D

TOP SECRET

2

TOP SECRET | Approved For Release 2003/12/09 : CIA_RDP78T05439A000400210029-7

	A new launch facility, designated Launch	In our last revision we mentioned a suspect	
25	Complex K (13) , was identified 1.5 nm west of Launch Complex F (5) on	new launch facility located between Launch Com-	
_`	(Figure 19). The launch area contains	plexes A and B, consisting of a fenced area 2,500	
	2 single silos under construction in shallow ex-	by 1,900 feet and similar in configuration (but	
25X1	cavations approximately 1,100 feet apart. The	not in size r to Launch Site G3 G4 (II). Con- struction within the fenced area was first ob-	5V4D
	silos are approximately indiameter. The	served on	5X1D
	access road terminates in a loop alongside the	On the secured	5X1D
	excavations. An electronic facility, located in	area contained a single launch silo approximately	
25X1	a secured area 3,000 feet northwest of the launch	35 feet In diameter, surrounded by a collar with	
	area, consists of an L-shaped earth scar with	a diameter of 65 feet (Figure 17). This facility	
	base lines approximately 1,275 and 1,345 feet	is designated Launch Complex I. The approach	•,
	Hong. This electronic facility is similar to those	road terminates in a loop beside the excavation.	-
	observed at Launch Complexes D, G and H.	A 155- by 50-foot building has been constructed	
	In our last revision we described a second	along the approach road. The silo appeared to	
	area at Tyuratam suspect as a launch facility.	be in a midstage of construction on Mission	
	This area is located west of Launch Complex G	The signature of this area	5X1D
25V	and north of the complex main road. Mission	is nearly identical to that of single-silo config-	
25X ²	showed that the previously reported secured area now contains 2 drive-in	urations at Tyuratam and Zhangiz-Tobe.	
	earth-mounded buildings and a drive-through	The huge support facility rapidly being con-	X1D
	building which is monitor roofed (Figure 20).	structed west of Launch Complex A since	X1D.
	building winefit is monitor rooted (vigoro	is designated Complex J, although construc- tion of launch facilities has not yet begun. The	را الرار "
2		large complex support facility contains a hous-	
-		ing area, a powerplant and a construction sup-	
		port area (Figure 18). The latter contains 3	
		concrete batch plants, more than any other sup-	
25X ²		port complex at the rangehead. A new rail spur.	
25/		over a mile in length, is under construction east	
		of the main rail line; it now terminates northwest	
		of 2 huge 780- by 250-foot buildings, as yet in-	
		complete. Until the construction of associated	
	Test Range Activities	launch facilities is initiated, it cannot be deter-	
	lest range ICBM activity at Tyuratam during the period since our last revision con-	mined precisely what the role of this complex	
	tinued at a reletively high rate, and included	will be in the Soviet missile and space program.	
b	firings of the SS-0, SS-7, SS-9, and the newly-	In the past, the appearance of a new support	
4	designated SS-10 missiles. Emphasis was on	facility has foreshadowed initiation of new launch complexes and the initiation of new programs.	: -
	developmental firings, of the SS-9 and SS-10	The rapid construction rate and the inordinate	
	systems.	-size of what may be missile assembly buildings	=
	SS-6 ICBMs were launched successfully	is suggestive of a launch complex of a multi-	
2	to Kamchatka on the	million-pound-thrust booster.	•
	25X1D	Annual Louis Contract	
	25 X 11)		

	25X1D -		
	first SS-6 firings since One	Tyumen is typical of these installations (Figure	
.	appeared to be an operational/training-type fir-	22). It consists of 2 fishbone receiving antennas	
	ing, and the other may have been a test of a	arranged for diversity reception and oriented due	`
	space booster.	west (toward Moscow), 2 dipole antennas oriented	25X1E
	Two SS-7 missiles were launched during the	90/270 degrees, and a control building.	
25X1D	period. The first firing occurred on	7	_
25X1D	with launch probably emanating from	-	
•	Launch Area D and apparently reaching Kam-		
25X1D	chatka successfully. The second, on	7	
25X1D	also apparently reached the Klyuchi Impact	ī	
•	Area.		
•	SS-9 missiles were launched at an even pace	9	
25X1D	on	7	
25X1D	• Five of the 6 firings appeared&c		_
	have been successful to Kamchatka. The firings		
25X1D	were intended for the new		
B	7,000-nm extended Pacific Impact Area; the first		
-	-was successful and the second an early inflight		
	failure, the only detected failure in a total o		
	10 firings to date. Flim Flam, where available		
•	indicates that Launch Complexes C, D and I		
	were probably involved in these launches.		
OÉVAD	on the control of th		
25X1D	one each on	<u>'</u> i	
	All appeared to have been launched successfully		1 .
	to the Klyuchi Impact Area on Kamchatka. Flim		
25X1D	Figm on the shot indicated Launch Area		
	G_{1}/G_{2} (7) as the launch point. Flim Flam data		
	on the other 2 firings were not available on our		
	cutoff date of 15 August.		
	Euron date of 15 August.		
	COMMUNICATIONS FACILITIES AT		-
-	25X1D DEPLOYED ICBM COMPLEXES V	¬	
25X1D			72:
23/110	revealed commun.		
	cations facilities at the Yoshkar-Ola, Novosi		
8	birsk and Tyumen ICBM Complexes, respec		
	tively. As is the case with the facility a		1.
	Verkhnyaya Salda reported in our last revision		
	these facilities consist of high-frequency receive		
	ing antennas oriented to receive communication		1.
	from the Moscow area. The facility identified a	aț	
5			
	·	·	\neg
	·		
_			25X1
	TOP SECRET		

Approved For Release 2003/12/09 : CIA-RDP78T05439A000400210029-7

RESUME OF SOVIET ICBM DEPLOYMENT PROGRAM

General

Recent evidence indicates the Soviets have initiated new deployment concepts involving changes in basic philosophy. It is still too early to ascertain specifically the extent, pace, and direction of the new deployment program. However, a review of the history of Soviet ICBM deployment to date, together with the current status and identifiable trends, is a basic requirement essential to assessing these new developments. The following resume of ICBM deployment is presented in this light.

Three missile systems, the SS-6, SS-7, and SS-8, are currently operational at deployed sites. Two others, the SS-4 and SS-10, are under development at the Tyuratam Missile Test Center, and deployment of one or both may be underway at the single-silo configurations at Zhangiz-dobe and Olovyannaya.

SS-6 Frogram. Plesetsk remains the only complex at which the SS-6 is deployed. Construction of the 3 operational sites (4 launchers) began in mid and all were complete and operational by We do not believe that this system is deployed at any other complex in the USSR, or that any additional deployment will occur in the future. We expect that this system will be phased out of the inventory before the end of this decade, when a more sophisticated system with equivalent or greater payload capacity becomes operational.

SS-7 Program. The SS-7 ICBM is the most successful of the currently operational systems and constitutes the bulk of the deployed force. It is deployed at 15 of the 19 complexes in both soft and hard configurations. No new construction starts of either the soft or hard modes have been detected since ________ Furthermore, the last soft site initiated was abandoned while still in an early stage of construction.

The same is true for at least one of the last 3-silo hard sites. We believe, therefore, that deployment of the SS-7 missile system incurrently operational configurations has stopped. We expect that the system will remain operational throughout the next few years and constitute a large segment of the total operational force; however, the number of soft launchers employing the SS-7 may possibly be reduced toward the end of the decade as significant numbers of more sophisticated systems become operational.

The SS-7 has been deployed in 3 consecutive

soft modes at 64 sites. All contain 2 launchers,

and all are operational. Differences between the 3 modes appear to relate to improvement in reaction time and handling procedures rather thanmodifications to the missile system. The most significant identifiable change was the incorporation of an integral fueling system in the socalled canted buildings inboard of the launch pads at the most recent version. Construction of 5 sites of the earliest, or NA, mode was initiated during the period The second, or IIB, mode was deployed during the period when construction of 29 sites was initiated. Both the IIA and IIB modes required an average construction time of 15 months. Construction of 31 sites of the latest, or IID, mode commenced following a 6-month break in construction starts. Between Construction of a total of 29 sites of the IID mode was initiated, the highest sustained rate of construction starts of a given type of site than any yet observed. Only 2 more sites of this type were initiated after was abandoned last, begun in while still in an early stage of construction. The earliest IID sites required approximately 12 months to construct; later, however, this

time was reduced to about 10 months.

25X²

25X

25X1D

25X1D

25X1D

25X1D

25X1D

25X1D

.

25X1D

25X1D

Approved For Release 2003/12/09 : CIA-RDP78T05439A000400210029-7 25X1D significantly in the summer of however, The SS-7 has been deployed in one hard mode only, each site containing 3 launch silos. following an unsuccessful series of test firings Construction of this type of site began early in of the missile system. Work apparently ceased 25X1D at all deployed sites while the program was reand initial operational capability was at-25X1D evaluated. As a result, one complex was.converted to the SS-7 system in completed sites has averaged 2 years, although some have been completed in a lesser period and several soft and hard sites, in early stages of construction, were abandoned. No new site and others have required considerably longer, starts for this system have been identified since probably due to construction difficulties of a that time. A later test series of the missile local nature. The 27 identified sites of this consystem appeared to be successful, however, and figuration were deployed in 2 increments. Conwe believe that operational missiles are availstruction of the first 15 was initiated during the 25X1D able for those sites currently deployed. We period struction of the second increment of 12 began expect no further deployment of this system, and 25X1D believe that the SS-8 missiles at deployed sites during the period of following a 9-month break in construction starts may be replaced during this decade, because the , etc. (at least one has since been abandoned). We cancost of supporting the few sites deployed will not identify any external differences between the become increasingly prohibitive as more sosites composing the 2 increments. None of the phisticated missile systems become operational. 88-4 Program. We suspect that deployment second increment has been completed, however. We recognize the possibility that the later group of the SS-9 missile system is underway, although we cannot definitely relate the system to any of sites may represent initial deployment of the specific deployed site configuration at the pres-SS-9 missile system. SS-8 Program. The SS-8 missile system is ent time. This judgment is based on the demoncurrently deployed in limited numbers at 4 of strated Soviet practice of initiating construction at deployed sites concurrently with development the 19 complexes. Both hard and soft sites are associated with this system. As is the case with and new ICBM systems, as well as the apparent the SS-7, the soft sites contain 2 launch pads, success of the flight test program observed to date. It is possible that it may be employed in and the hard sites contain 3 launch silos. Con-25X1D the single-silo hard sites under construction at struction times for both the hard and soft configurations are difficult to assess, due to stop-Zhangiz-Tobe and Olovyannaya. It is also possible that the ll three-silo-configured hard sites pages in the construction program." We believe, initiated during the period however, that the soft sites could be built in 15 are for the SS-9. This possibility is premonths, and the hard sites in about 2 years. The 7 identified soft sites are all operational. dicated on the compatibility of the SS-7 and SS-9 25X1D 25X1D Two of the 3 hard sites are complete; the other systems demonstrated at Tyuratam, where test 25X1D should be completed during the last half of firings of the new missile have been carried out 25X1D Initial construction of soft sites began in from SS-7 facilities. 25X1D and 11 were underway by Based also on Tvuratam range activity, we

- 12 -

believe that the SS-9 can be accommodated in

facilities currently accommodating the SS-7,

although there is no evidence that such a program

TOP SECRET

Hard site construction began in

and at least 4 were under construction by sum-

mer of that year. The program was altered

TOP SECRET

25X1D

is underway. We cannot determine, however, the extent of modifications required to permit compatibility of the 2 systems. SS-10 Program. We believe that deployment of the SS-10, currently under developmental testing at Launch Complex G at Iyuratam, may be imminent if not already underway. However, we cannot identify any specific deployment sites which we believe are for this system. There is no evidence that the SS-10 can be launched from facilities other than Launch Area G1/G2 at Tyuratam. Furthermore, we do not know the size and characteristics of the missile. Disruptions in Deployment Program We have been able to identify three significant periods of interruption in the Soviet ICBM deployment program. The first occurred during the summer of and was related, at least in part, to the failure of the SS-8 missile system to meet Soviet test requirements. The second involved a 4-month break in SS-7 hard site deployment during the period winter of and probably was related to a decision to cease construction of sites of known configuration for the second generation SS-7, probably in favor of deployment of the third generation SS-9 and SS-10 systems. We recognised to permit a generation SS-9 and SS-10 systems. We recognised to permit a generation of SS-9 and SS-10 systems. We recognised to permit a generation of SS-9 and SS-10 systems. We recognised to permit a generation of the second generation SS-9 and SS-10 systems. We recognised to permit a generation of seven of deployment of the third generation of SS-9 and SS-10 systems. We recognised to permit a generation of the second generation seed to the second generation of the generation of SS-9 and SS-10 systems. We recognised to permit program. SS-10 program. The demonth interruption in hard subjection of the obvious requirement between difficult to explain because of the obvious requirement for a greater degree of surviy for its deployment between difficult to explain because of the obvious requirement between difficult to explain because of the obvious require	in the ite de- is soviet cability eason- ements d hard ibly to likely, bace at etween equired crews. 25X11
25X1D 25	rogram ertainly
25X1D 25	
probably in favor of deployment of the third- a major change in direction of Soviet of	odate at s (SS-9 m. The hangiz-
nize the possibility, however, that SS-7 deploy-	
ment may continue in a single-silo version. In retrospect, it appears that the Soviets may have intended to supplement deployment of the SS-7 with significant numbers of the SS-8. The unsatisfactory performance of the SS-8 in flight tests during apparently caused the Soviets to reevaluate their entire program. SS-8 déployment was curtailed, sites in an early, stage of construction were abandoned, and one complex was converted to the SS-7 system. Beginning in the SS-7 was deployed in significant numbers in a new soft configuration. It is probable that this phase of	date, is and com- stions of rojected re. Start ich were al force
TOP SECRET	

TOP SECRET Approved For Release 2003/12/09 : CIA-RDP78T05439A000400210029-7


•		7.1	11/12		
(approximately 40 percent) are in a hard con-				i i	
figuration. Of the total force of 197 launchers	,	Soft	Hard	Lotal	
currently operational, 51 (approximately 25 per-	1957	1	()	1	
	1.95 %	O	()	()	
cent) are in a hard configuration.	1959	2	()	2 -	
	1960	12	(1)	1 =	

SIXRIS				COMPLETIONS				
,	Soft	Hard	Total	5	oft	Hard	Total	
1957	1	()	1		13	. ()	U	
1958	()	()	()		()	(1)	1.0	
1959	2	1.1	2 -		()	()	()	
1966	12	(1)	1.2		1	()	674	
19401	4.2	2510	72		10	10	10	
1962	6.1	24.	~ ~		40	23	40	
1960	2.2	10.6	+1 ~		t) ~	2.4	92	
.1964	0	<u>.</u> '	~		2.4	4.57	6.9	
1465					()	• 23	23	
otal~	1.50	98	254		146	95	241	

TOP SECRET

14 -

25








FIGURE 4. NEW ICBM

TOP_SECRET



TOP SECRET
Approved For Release 2003/12/09 : CIA-RDP78T05 FIGURE S. COMPLEX SUPPORT FACILITY, ZHANGIZ-TOBE. TOP SECRET



- 20 -


FIGURE 7. LAUNCH


- 25X1D

25X1

TOP SECRET


25X1





TOP SECRET Approved For Release 2003/12/09 : GIA-RDP78T05439A000400210029-7

25X1D




25X1D

25X1D


FIGURE 9. LAUNCH SITES D1 4 - D6 101, LAUNCH GROUP D. OLOVYANNAYA.


- 23 -



TOP SECRET

25X1





Approved For Release 2003/12/09 : CIA-RDP78T05439A000400210029-7 Next 2 Page(s) In Document Exempt ILLEGIB




FIGURE 22. HIGH-FREQUENCY RECEIVING ANTENNAS FISHBONE), TYUMEN.

25X1 25X1

TOP SECRET

25X1D


Next 6 Page(s) In Document Exempt

	TOP SECRET	
· .		-
· . <u> </u>		
	A STATE OF THE PROPERTY OF THE	o di
	SOVIET IRBM/MRBM DEPLOYMENT	· i
	coverage since our last revision SOFT SITES	5 E V 4
· .)	covered a majority of all deployed IRBM and Plesetsk 25X1D	25X1
	MRBM complexes. No significant changes In A unique development was observed in	- 1
	the composition or activities of the Soviet at the ICBM complex at	
	IRBM/MRBM force were noted. Within com- Plesetsk. A new soft surface-to-surface launch	
	plexes there is still no indication of any mixing facility, unrelated in configuration to any pre-	
	of systems; all remain exclusively either IRBM/: viously identified ICBM site, was observed in a MRBM equipped. viously identified ICBM site, was observed in a midstage of construction (Figure 32). The 2 pads	
)		i i
		- !
OEVAD		
25X1D		
DEVAD		<u>.</u>
25X1D	tovyy (53-25N 62-23E) on the nected by cross-shaped scarring to a third build- ing midway between the pads. A possible check-	
	facility was observed at Plesetsk on Mission out or missile-ready building and one other	
) 	and a launch facility near small building are across the access road, to the	-
25X1D	Sovetskaya Gavan was confirmed as the probable west of the site.	7
	launch point for MRBM training firings to This facility bears a close resemblance to	
25¥1□	Kamchatka in Launch Site 5C1 at the Kapustin Yar Missile	ļ
	Test Center (Figure 33), although the 2 facilities	
25X1E	identified at Moloskovitsy MRBM Launch Site 1. are not identical, in addition, the general con-	٠ . ا
	and at the Vainade IRRMI aunch Site, Numerous figuration suggests a relationship to the Soviet	الم والمراجعة ا
	fixed field sites were newly identified, bringing IRBM sites observed in Cuba in (Figure 2)	25X1L
-a	the rotal to 50.	
	A total of 195 MRBM/IRBM sites with 759 IRBM rather than ICBM related. The function	
}	launchers has been identified to date. Of the of this new launch facility cannot yet be deter-	. •
	759 launchers, 733, including 121 in a hardened mined, but we do not believe that its primary	-
•	configuration, are estimated to be operational. purpose is to serve as an operationally deproyed	11
- '	In this revision we have divided the Summary IRBM site.	′1D 📗
y.,	Evaluation of Soviet MRBM/IRBM Deployment Soverskaya Gavan	
•	Table 5, Tell me to the tell me to t	1
	Table 3, Summary Extraction	,
J	ment, and ruble to be a series of the series	
	Wiki Deployment: A morting of the market of	
	field sites has been added as rable 5. A rable 6,	
)	Somposition of the Ministry	: 1
	also been added. See I ight of the self-self-self-self-self-self-self-self-	[3-4].
	deployed individual completed.	
Á	an investigation (Figure 35) Activity	J 🦙
- N.	in Figure 31. On any regular road pattern (1 igure 35). Nett thy	
	25X1D	
	- 45 + ·	7
	25X1D	
A		
- 4	TOP SECRET	_

	is observed for the first time in the form of	silo present appears to have been brought to	
•	vehicles on a parking apron. No erectors are.	about midstage, and there is no evidence of other	
	discernible on any of the pads. The appearance	silos; or the control bunker. At this stage of	
25X1D	of the launch facility has not changed since	construction at a typical IRBM hard site, all 3	
25X1D	The site can be	silos and the control bunker would be visible.	
23X1D	negated on photography of	The unused or inactive appearance of the launch	
	and first appeared on coverage of	site leaves its future status in doubt. Apparent	
25X1D	The site is located	construction activity in the site support facility	•
	about 900 miles from the Kamchatka Impact	is not compatible with the inactive appearance	
	Area. We continue to believe that the primary	of the launch site.	25X1D
_	purpose of this site is for training rather than	shows that both the launch site and site support	23/10
_	operations, although missiles could be launched	facility are probably inactive. No activity is	
	from here to targets in Korea and Japan.	observed in the launch area and the new road	
OEVAD	Sites Lacking Usual Facilities	under construction between the launch area and	
25X1D	a newly iden-	the Pokhaninovka-Bolshaya Kamenka highway	
	tified completed Type III IRBM launch site with	has not been extended. We cannot explain the	
25X9	was observed at	inconsistencies between this facility and the	
•	Traktovyy (Figure 36). This site is singly de-	usual hard IRBM site; therefore we are unable	7
8	ployed, has no support facility, and is very	to ascertain whether this facility represents a	
•	similar to 8 other singly deployed IRBM 'MRBM	new trend in IRBM/MRBM deployment.	
•	sites that have no associated housing or sup-	25X1D FIXED FIELD SITES	
	port facilities. The launch site is located ap-		
	proximately 6.6 nm southwest of Traktovyy.	the first example	
	The other sites in this category are Bayram-	of what is now termed a fixed field site was	
5	Ali, Kraskino, Marina Gorka, Ramoye, Rozh-	'identified near the Anastasyevka MRBM Com-	
	destvenka, Sledyuki, Uzhgorod, and Zhuravka.	plex. Identification was due mainly to the simi-	25X1D
• .	We are still unable to determine their operational	larity between it and the Sagua La Grande No I	ا ۸ږ∠
	status, or their place in the deployment pattern.	MRBM Field Site in Cuba. Since that time 50 such sites have been located in the USSR on	•
_	HARD SITES	photography, some of which have	25X1
		been in existence since Most of these	
-	Bolshaya Kamenka	newly identified sites, however, have been con-	
	The recently discovered site at Bolshaya Kamenka (Figure 37) is something of an enigma.	structed during the first half of	25X1D
25X1D	The site was identified in	The fixed field sites are characterized by	23/10
25X1D	and can be negated in	an irregular road pattern, generally utilizing	
2 5X1D 2 5X1D	It may be intended as a typical	existing road networks which are widened in	
::-	3-silo IRBM site. The large excavation, with a	places to form round, elliptical, or rectangular	
■ 25X1D	small additional effort, could accommodate 3	launch sites; there are many variations from	
_	silos plus the normally associated control bunker	Launch Area 2G at Rapustin Yar, which probably	
	and other structures. However, construction	was the prototype for the first fixed field sites.	
	procedures at the site to date do not appear to	The number of pads or clearings varies from	
_	have followed usual Soviet practice. The only	1 to 4, with a wide variety of configurations.	25X1
_		47 -	
•			
· ·	TOP SECRET		
	- All X	,	

	TOP SECRET		, , , , , , , , , , , , , , , , , , ,
•	Approved For Release 2003/12/0	09 : CIA-RDP78T05439A000400210029-7	·
••		·	
	•	25X1B	
	The distances of the fixed field sites from the		7 =
	nearest soit site vary from less than one nin to		
	approximately 25 nm. In some instances, move-		_
	ment from the soft site to the nearest fixed		
	field site would require transft through towns og		
25Y1D	villages. revealed an		· •
25X1D	revealed an unidentified object on 3 of the 4 pad clearings at		
	the Anastasyevka Fixed Field Site. Two probable		_
25X1D	ready tents or buildings are positioned in a		1 - ' 1
,	clearing along the large loop road.	1	
25X1D	these 2 probable ready tents or, buildings are no longer present.		
7	or buildings are no longer present. The purpose of these sites is still undeter-		│
05744	mined. Continuing analysis confirms that all		1
25X1A	sites probably do not serve the same purpose.		
	Although some sites may actually represent		-
	the alternate reserve positions referred to in many, because of their		
	Aocation near permanent sites, would make poor		
	alternate positions. Some of the older sites may	KAPUSTIN YAR MISSILE TEST CENTER	_
	represent early deployment of the SS-3.system.	Test Range Facilities	
	Field training for crews appears to be a logical	yers the pale missions which is	25X1
	function of many of the pads. In any event, a capability of MRBM units to	were the only missions which ob-	25X1D
* **	fire from hastily prepared positions was con-	Yar Missile Test Center since our last revision.	∠3V ID ∰
25X1D	firmed in Cuba in and we believe that all	Launch Area 1C (Figure 40). Several pos-	•
_5/\ ID	such units currently are capable of moving to,	sible vehicles and the rail-served erector	
	and firing from, these fixed field-type positions.	launcher are visible on the old pad on Mission The 2 new launch positions observed on	25X1D
		The 2 new launch positions observed on are still under con-	25X1D
06344-		struction. They have an approximate 525-foot	とりくしし 🖷
25X1B		separation and are both rail served by new spurs	. 🚡
ĺ		from the rail line leading to the launcher/erector	
		on the old pad. The fencelines are being extended	
ĺ		to include these new launch positions. There were no apparent changes in facilities in the	·
ĺ		were no apparent changes in facilities in the checkout area since	25X1D
ĺ		Launch Area 2C (Figure 40).	25X1D
ĺ		revealed a possible missile exercise underway.	20/10
		An unidentified object or objects are located at	. -
·		the center of the northern pad, and several	
٠.	- 4	.8 -	
	<u> </u>		
•,	TOP SECRET	·	

	•	*	J
X1D	vehicles or pieces of equipment are on the southern pad. Launch Area 3C (Figure 40):	Launches on this date included two SS-3 missiles, and an SS-4. Activity for the period included a total of	
25X1D	revealed a probable vehicle approximately 65 feet long on the launch pad.	four SS-3 launches which, coupled with previous firings of this vehicle in	\ i
	revealed a probable missile exercise underway. An unidentified object or objects are located at the center of the pad, and several vehicles or	represent the first firings of this system since the fall of The reason for these firings cannot be determined. We believe the SS-3	25X 25X
5X1D	pieces of equipment are present on the pad. Launch Site 4C-1 (Figure 41). Mission revealed that the structure over one of	is obsolescent and that few, if any, remain deployed. SS-4 activity between	25
5X1D	the forward silos, first observed on Mission - is still present. Launch Site 4C-2 (Figure 41). Two of the 3	was high, with a total of 12 launches detected. SS-5 activity included 2 launches in at least one of which was the operational train-	25 25
5X1D	silos are open on An object approximately 65 feet long is on the road at the entrance to the area.	ing type. These were the first firings of this vehicle detected since Probably the most significant range activity	25) 25)
	Launch Site 5C-1 (Figure 42). Nihe vehicles are observed at the site, and an object approxi-	involved the continued testing of the new missile which we noted in our last revision, and what	,
25X1D	mately 55 feet long is on the southern pad on Launch Site 5C-2 (Figure 42). Mission	are probably initial tests of yet another surface- to-surface missile, beginning on In the 13th Revision we noted that a ballistic missile	25>
5X1D	again confirms that this site is abandoned. A new rail spur under construction branches from the rail line serving Launch Area IC, immediately west of the Launch Complex C operations control center, and extends to the former support area for Launch Area 4C (Figure 43). Roadbed construction terminates at	was launched successfully to a range of 440 nm on This operation appeared similar to a possible firing to at least a 300-nm range conducted on and an apparent launch	25 25) 25)
5X1D	the road serving Launch Areas 4C and 5C. also shows new construction	The launches of what may be yet another new surface-to-surface vehicle were	25 25)
	scarring west and north of the rail-served probable missile assembly and checkout area approximately 5 nm north of Launch Complex C.	detected on Firings of both series have involved ranges of 300 and 440 nm. Whether these represent half or full range firings cannot	2 25
	Test Range SSM Activity The firing of surface-to-surface missiles.	be determined at this time. In addition to the activity described above,	
X1D 5X1D [at Kapustin Yar increased significantly beginning after relatively light activity during Multiple firings on suggest a probable SRF demonstration.	there were 35 operations of an undetermined nature during the period some of which may have resulted in launches of short range missiles.	2
2	25X1D 25X1D	25X1D	25
	· · · · · · · · · · · · · · · · · · ·	0_	_






25X1D

25X1D

FIGURE 35. SOVE SKAYA GAVAN MRBM LAUNCH SITE.

25X1 25X1

TOP SECRET



25X1



25X1D

25X1


25X1


TOP SECRET


25X1D ~


Approved For Release 2003/12/09 : CIA-RDP78T05439A000400210029-7 25X1D

Approved For Release 2003/12/09 : CIA-RDP78T05439A000400210029-7











TOP	SECRET	
-----	--------	--


TABLE 1. SUMMARY OF ESTIMATED STATUS OF IDENTIFIED ICEM, IRBM, AND MRBM LAUNCHERS AT DEPLOYED COMPLEXES.

- Type	Site-	Launchers	Operational	t. c	Type	Site-	Launcher-	Operational	U
	L.,	ICBM					MRBM		
		1, 1,				54	336	336	
1	- 3	4	4	(1.4	II	53	212	212	
in .	, 5	10	10	. 0	11	21	~4	. 76	
IIB	ربعي	5.5	5.5	.0	TOTAL	158	632	624	
IIC	7	1.4	14	0		-		.5	
IID	30	60	60	(1	·		- IRBM		
III A	26	TN.	4.5	33.	H	16	64	64	
IIIB	3.	9	6	3.	-111	. 21	63	45	
III (Singl	e) 3	*	. " .	•	TOTAL	37	127	109	
•	\$		4					•	
rotal	106	. 241	197	. 44	GRAND	195	759	733	- ,

^{*}See Tables 2, 3, and 4 for details. Figures include three launch siles at Type III ICBM and Type IV IRBM sites, and four launch siles at Type IV MRBM sites.







25X1D			TOP SECRET	
Description		63	1	
Property		*TDI site designators are _ DIA isoludes one addit	Complex VI (1) - V(15) Probable complex B1 (1) B1 (10) Probable templex B1 (1) C1 C1 Cuplex B1 (1) D2 (2) Cuplex B1 (2)	
Conclinates Type of Learn text Site	¥	indickted in p tional probabl		DE
Type of	6	arntheres, e-tip (sild). See on	15 15 16 17 17 17 17 17 17 17	I
Sum her of Sum of the part	1	mblustion page	III (Songle) III (Songle) III (Songle) III (Songle) III (Songle) III (Prototype IIII (IIII) IIII (IIIII) IIII (IIIIIIIIII	Type of Site
Lax Jetimened Nation Sales Sal	•		1 1 1 1 1 1 1 1 1 1	Launchers
Levi	•	(
Leaf Section Section 1 of Secti	• • • • • • • • • • • • • • • • • • •	*		D
Complete Com	•			· · · · · · · · · · · · · · · · · · ·
Continued Cont			Complete Mol Late Longition Late Longition Longition Longition Late Longition Late Longition Late Longition Mol Late Longition Longition Mol Late Longition	er
OPP SECRET	a. **			
TOP SECRET			0) 0) 0 0 0 0	
TOP SECRET 25X			entronal 1 1 (Constraint on the constraint of the constraint of the constraint on	
TOP SECRET		25X	•	
	2			2

	•			5X1A	- AUD T 101		25X1D 25X1E)
	٠	LOCATION*	TABI	LE J. SUMMARY EVALUATION OF COORDINATES	TYPE	T-	25X1D 25X1L estimated constr	1
	••••	AKTYUBINSK Lauheh Complex KARAKHOBDA PETROVSKIY	: -	19-58-15N 50-51-1 50-00-30N 56-59-0		3	Mid Mid	
		BAYRAM-ALI Launch Complex BAYRAM-ALI		37-45-45N 62-11-0	oe in	1	Complete 25X1	
7		BELOMORSK Launch Complex R MOYE	2	64-25-45N 34-18-1	SE III	1 1	Complete	
ρ s		FEDOROVKA Launch Complex TRAKTOVYA	·	53-25-15N 62-20-0	oE III	s, t	Complete	PS
SECRE		GELLI Launch Complex KAKASHURA GELLI PARAUL		12:38:45N 17:27-6 12:26:30N 47:28-6 12:47:30N 47:28-6	0E IV	3 3 3	Complete Complete Complete Complete	ECRET
		GRANOV Launch Complex GRANOV 1 GRANOV 2 KALNIK	4	48-56-15N 29-30-1 18-50-00N 29-25- 18-50-30N 29-21-	5E IV	1 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Complete Complete Late	
	64 -	KROLEN ETS Launch Complex KROLEN ETS 1 KROLEN ETS 2 BEREZ A		51-36-45N 33-29- 51-40-45N 33-31- 51-43-45N 33-43-	5E " III	1 1	Complete Complete Complete	
		LEBEDIN Launch Complex LEBEDIN 1 LEBEDIN 2 LEBEDIN 2	•	50:33:00N 24:25: 50:35:45N =31:24: 50:38:00N 34:27:	10E 111	1	Complete Complete Complete	
		NIGRANDE Launch Complex NIGRANDE SKUNDA VAINODE		56-31-00N 22-02- 56-31-00N 21-49- 56-28-30N 21-50-	15E IV	, 4 3 3	Complete Complete Complete	
		NOVOSYSOYEVKA Launch Con NOVOSYSOYEVKA 1 NOVOSYSOYEVKA 2 NOVOSYSOYEVKA 3	nplex	ft-11-45X 133#26- 44-07-15X 133-28- 44-07-30X 133-23-	30E IV	4 3 1 3	Complete Mid Early	
		PERVOMAYSK Launch Complex KAMENNYY MOST SEMENOVKA 1 SEMENOVKA 2		17-58-00N 30-52- 47-58-15N 30-59- 47-53-30N 30-58-	00E IV	3 3 3	Complete Complete Complete	
			:\ -	. —	. •			


25X1 25X1D <u>25X1A</u> 25X1D TABLE J. (Continued) NO'OF PADS LAUNCHERS ESTIMATED CONSTR STATUS COORDINATES TYPE LOCATION* SARATOV Launch Complex BOLSHAYA KAMENKA 51-45-00N 45-41-30E Undet SARY OZEK Launch Complex KARA BABAU 1 KARA BABAU 2 KARA BABAU 3 III IV IV Complete Complete Complete 77-46-15E 77-38-45E 77-41-15E 44-32-00N 44-31-00N 44-30-15N TOP SECRET SMORGON Launch Complex SMORGON 1 1 SMORGON 2 SMORGON 3 TOP SECRET 54-31-45N 54-26-00N 54-36-15N 126-17-30E 26-18-30E 26-22-30E Complete Complete Complete 111 1V 111 TAYBOLA Launch Complex TAYBOLA 1 TAYBOLA 2 TAYBOLA 3 Complete Complete Mid IV IV IV 68-28-00N 68-30-30N 68-26-00N 33-55-30E 33-23-15E 33-29-15E ZHURAVKA Launch Complex ZHURAVKA Complete 54-36-30N 76-39-45E *TDI site designators have been adopted for IRBM Launch Sites. 65 25X1 25X1

Approved For Release 2003/12/09 ; CIA-RDP78T05439A000400210029-7

25X1 25X1A 25X1D . 25X1D TABLE 4. SUMMARY EVALUATION OF SOVIET MRBM DEPLOYMENT, ESTIMATED CONSTR STATUS NO OF PADS COORDINATES TYPE LOCATIONS . AKHTYRKA Launch Complex 50-16-00N 31-50-15E 50-22-00N 34-57-90E AKHTYRKA I AKHTYRKA 2 Complete AUUKSNE Launch Comptex LEJASCIEMS 1 RUSKI LEJASCIEMS 2 57-21-00N 26-44-45E 57-25-15N 26-50-00E 57-13-00N 26-33-30E Complete Complete Complete P Q TOP SECRET ANASTASYEVKA Launch Complex ANASTASYEVKA 1 ANASTASYEVKA 2 48-34-15N 135-37-45E 48-35-45N 135-11-00E Complete Complete SECRET BALTA Launch Complex Complete Complete 48-01-45N 29-34-00E 48-07-00N 29-34-30E BALTA 1 BALTA 2 25X1 BARANO-ORENBURGSKOYE Launch Complex Complete Complete 44-16-15N 131-22-30E 44-19-45N 131-30-45E BELOKOROVICHI Launch Complex 51-08-45**Q** 28-03-45E I -51-10-30N 27-59-30E I -51-00-30N 28-07-30E IV 66 Complete OLEVSK 1 OLEVSK 2 RUDNYA ZLOTINSKAYA BORSHCHEV Launch Complex SKALA PODOLSKAYA 1 SKALA PODOLSKAYA 2 BREST Launch Complex Complete 51-48-45N 24-00-45E 51-51-45N 24-01-46E BREST 1 BREST 2 Complete BRODY Launch Complex BRODY 1 BRODY 2 BERESTECHKO 50-06-00N 25-12-15E IV 50-12-16N 25-05-00E I 50-20-00N 25-05-30E I Complete Complete Complete 25X1 BYKHOV Launch Complex Complete 53/41-30N 30-20-30E , II DERAZHNYA Launch Complex DERAZHNYA 1 DERAZHNYA 2 Complete Complete Complete 49-24-00N 27-26-30E 49-26-15N 27-29-00E 49-24-45N 27-08-45E KHMELNITSKIY

25X1 25X1D 25X1A 2<u>5X1D</u> TABLE 4. (Continued) TYPE COORDINATES ESTIMATED CONSTR STATUS LOCATION* NO OF PADS. LAUNCHERS DISNA Launch Complex DISNA ZELKI BORKOVICHI 55-35-15N 28-16-00E 55-35-15N 28-24-30E 55-41-45N 28-27-00E Complete Complete Complete DOLINA Launch Complex DOLINA 1^d DOLINA 2 BOLEKHOV 49-03-30N 24-03-30E 1 49-06-15N 24-08-30E 1 49-06-45N 23-51-15E; IV T Q TOP SECRET DROGOBYCH Launch Complex 19-22-15N 23 15-30E 1 19-25-30N 27-34-45E 1 19-16-45N 3-43-00E IV MEDENITSA DROGOBYCH STRYY Complete Complete Complete SECRET DY ATEOVO Launch Complex 53-32-45N 25-16-45E 53-35-30N 25¹17-30E 153-35-45N 25-27-30E Complete Complete Complete DYATLOVO BEREZOVKA ZBLYANY 25X1 GOMEL Launch Complex BORKHOV 1 BORKHOV 2 1 52-18-30N 30-42-45E 52-24-45N 30-39-00E Complete Complete 67 GRESK Launch Complex GRESK 1 GBESK 2 URECHYE Complete Complete Complete $\begin{array}{lll} 53\text{-}14\text{-}15N & 27\text{-}42\text{-}30E \\ 53\text{-}17\text{-}00N & 27\text{-}40\text{-}45E \\ 53\text{-}11\text{-}00N & 27\text{-}58\text{-}30E \end{array}$ GROZNYY Launch Complex SUNZHENSKOYE NESTEROVSKAYA. ACHKHOY WARTAN 43-08-15N 44-54-15E 43-11-30N 44-57-00E 43-10-30N 45-10-30E Complete Complete Complete GUSEV Launch Complex 25X1 54-41-30N 22-05-00E 54-44-00N 22-03-30E Complete Complete GUSEV 1 GUSEV 2 GVARDEYSK Launch Complex GVARDEYSK 1 GVARDEYSK 2 54-40-30N 21-07-30E 54-45-15N 21-09-15E Complete Complete JELGÁVA Launch Complex 56-35-30N 24-04-00E II 56-39-45N 24-07-30E II 56-33-00N 24-20-30E IV Complete Complete Complete

		25X1.	A TABLE 4. (Continued)		, 25X1 25X1D
	· ` • .	LOCATION	COORDINATES TYPE	NO OF PADS LAUNCHERS	25X1D ESTIMATED CONSTR STATUS
		JONAVA Launch Complex KARMELAVA JONAVA	31-47-15N 24-05-15E II 55-01-00N 24-14-15E II	1	Complete Complete
, 	٠	KAMENETS-PODOLSKIY Launch Complex KAMENETS-PODOLSKIY DUNAYEVTSY	48-51-15N 26-42-30E II 48-55-15N 26-59-00E II	1	Complete Complete
OP SI		KIVERTSY Launch Complex KIVERTSY 1 KIVERTSY 2 TROSTYANETS	50-53-15N 25-31-00E I 50-56-00N 25-36-15E I 50-58-30N 25-39-30E II		Complete Complete Complete Complete
ECRE	1	KONKOVICHI Launch Complex PETRIKOV KONKOVICHI	52-10-30N 28-34-45E 1 52-15-30N 28-37-45E 1	. 1	Complete Complete 25X1 ET
-]	KOROSTEN Launch Complex KOROSTEN 1 KOROSTEN 2	50-51-45N 28-18-15E II 50-52-15N 28-31-00E II	1	Complete Complete
	- 68 -	KOZHANOVICHI Launch Complex KOZHANOVICHI I KOZHANOVICHI 2	52-10-15N 27-51-30E 1 52-11-30N 27-48-00E 1	‡ ‡	Complete Complete
		KRASKINO Launch Complex KRASKINO	42-44-00N 130-40-15E H		Complete
		KRASNOZNAMENSK Launch Complex VIESVILLE RAGNIT	55-01-30N 22-23-00E I 55-01-15N 22-11-15E I	# • 4	Complete Complete
		KREMOVO Launch Complex KREMOVO (Probable) LYALICHI (Probable)	44-01-24N 132-20-30E I 44-02-30N 132-26-26E, I	4 4	Complete 25X1
		KURGANCHA Launch Complex KURGANCHA 1 KURGANCHA 2 TYM	39:37-45N 65-57-30E 1 39:37-30N 65-57-00E 1 39:35-15N 65-42-45E IV	4 4 4	Complete Complete Complete
. ,	-			·	
		, , , , , , , , , , , , , , , , , , ,		•	




25X1. 25X1D 25X1D 25X1A TABLE 4. (Continued) NO OF PADS LAUNCHERS ESTIMATED CONSTR STATUS COORDINATES LOCATION* POLOTSK Launch, Complex 55-22-30N - 28-14-30E 55-24-15N - 28-33-45E Complete Complete POLOTSK 1 POLOTSK 2 POSTAVY Launch Complex POSTAVY 1 KOZYANY POSTAVY 2 55-09-15N 26-53-45E II 55-20-30N 26-51-30E II 55-06-15N 27-00-15E IV Complete Complete [. Mid TOP SECRET Q PRUZHANY Launch Complex PRUZHANY 1 PRUZHANY 2 52:00:00N 21:08 GE 52:00:00N 24:06 15E Complete Complete SECRET RAKVERE Launch Complex Complete Complete 59-08-45N | 26-26-45E 59-14-45N | 26-20-45E SMUNA VAIKE MVARJA 25X1 RISTI Launch Complex RISTI 1 RISTI 2 Complete ROZHDESTVENKA Launch Complex ROZHDESTVENKA Complete 70 $945.47\cdot15N\cdot133\cdot43\cdot30E=-11$ RUZHANY Launch Complex Complete Complete 52-47-45X 24-42-30E 52-49-15X 24-45-30E SATEIRIAI Launch Complex ** Complete Complete Complete SALANTAI 1 SALANTAI 2 ZEMAICIU KALVARIJA SIMFEROPOL Launch Complex Complete Complete 44-53-45N 34-20-00E -44-57-00N 34-26-00E MAZANKA BALKI 25X1 SLONIM Launch Complex BYTEN 1 BYTEN 2 Complete 52-52-30N × 25-21-30E 52-55-45N = 25-22-15E Complete SOKAL Launch Complex Complete Complete Complete SOKAL 1 SOKAL 2 SOKAL 3


* \$5 · :


 Q_{ν}

			, ,	25X1A	TABLE 4. (Contin	ued)	· · · — —	25X1D	25X1	D
		LOCATION*	•.		COORDINATES	TYPE	NO OF PADS LAUNCHERS	ESTIN STAT	ATED CONSTR	
		SOVETSK Launch Complex SLAVSK 1 SLAVSK 2			-54-59-15X 21-36-30E 54-59-45X 21-28-30E		‡ .		Complete Complete	
•		SUCHAN Launch Complex NOVITSKOYE SEVERNYY SUCHAN	the N		43-01-15N 433-17-00E 43-10-00N 133-20-05E		. 1		Complete Complete	
		TAURAGE Launch Complex TAURAGE 1 TAURAGE 3			55-10-15N 22-20-00E 55-05-00N 22-20-00E		i 1		Complete Complete	
. - .		TORVA Launch Complex TORVA 1 TORVA 2 TSIRGULINA			57-56-00N 26-04-00E 57-59-15N 26-05-00E 57-49-45N 26-12-30E	· 1	1 1 1		Complete Complete Complete	5X1
		UGOLNYY Launch Complex UGOLNYY			64-47-32N 177-56-15E	11			Complete	
	- 71	UKMERGE Launch Complex VEPRIM UKMERGE			955-07-45N 24-38-30E 55-11-00N 24-42-30E	1	1 4		Complete Complete	٠,
	•	UMAN Launch Complex MOLODETSKOYE MANKOVKV KISHENTSY			48-53-45N 30-27-45E 48-57-45N 30-23-45E 49-00-15N 30-13-45E	. 1	# # # # # # # # # # # # # # # # # # #		Complete Complete Complete	
		USOVO Launch Complex OVRUCH 1 OVRUCH 2 LIPNIKI			51-17-J5N - 28-16-15E 51-18-J0N - 28-10-30E 51-12-J5N - 28-26-30E	· 1 1 11	4 4 4 •••		Complete Complete Complete	
-		UZHGOROD Launch Complex UZHGOROD			48-33-30N 22-13-15E	n	4		Complete	
	7	VORU Launch Complex VORU 1 VORU 2	. •		57-46-00N 26-47-15E 57-49-00N 26-50-30E		1 1		Complete Complete	
		VSELYUB Launch Complex VSELYUB 1 VSELYUB 2			53-45-45N 25-43-00E 53-48-00N 25-46-45E		; +		Compléte Complete	25
		YELSK Launch Complex YELSK 1 YELSK 2			51-42-30N-, 29-12-30F 51-47-15N 29-18-15F		4		Complete Complete	

Approved For Release 2003/12/09 CIA PDD78105430







	* * * .	n -			·		2 5 X1D			25X1	
	• ,		25X1A		TABLE 5. (C)	intinued).	23/10		NO OF PAI	, , , , , , , , , , , , , , , , , , ,	
		LOCATION*		COORE	DINATES				CLEARI	NGS	
		\$MORGON Smorgon		54-84-45N	26-21-30E				2		
		TAURAGE Skaudvilo Taurage) ,	55-23-00N 55-10-00N	22-34-00E 22-14-30E				. 4		
-		TORVA Valga		57-50-15N	25-54-15E				1	•	
)	•	UKMERGE Gelvonai Balninkai		55-07-15N 53-13-00N	24-43-45E ** 25-02-00E				i i i	,	
,		YELSK Yelsk		51-50-45N	29+05-15E ;				1	25)	<1
: 		ZAGARE Dobele 1 Dobele 2		.56-10-00N 56-10-15N					4		•
	. 75 -	ZHITOMIR Berdichev		49-51-80N	28-25-30E				2		
		ZHMERINKA Vinnitsa		19-13-15N	28-18-15E				j	•	
		ZNAMENSK Praydinsk Domnovo		54-23-00N 54-25-30N	20-59-15E 20-58-00E				3 4		ī
		*TDI site designators ha	ive been adopted for t	he fixed field sit	es, which are list	ed under the ne	arest permanen	r IRBM MRBM co	mplex.		
<u> </u>	<u> </u>	•		•					•	2	25X1
				f .	•						
. 0		•	• • •	: •							ب

,25X1

TABLE 6. COMPOSITION OF IRBM/MRBM COMPLEXES

	Containing 1 Soft Sites Only					Containing Hard Sites Only			Containing Hard and Soft Sites			
No of Complexes	One Site, No Housing or Support Facility	One Site	Two Sites	Three Sites	One Site	Two Sites	Three Sites	Pwo Soft One Hard Site	One Soft One Hard Site ,	One Sof Two Har Sites		
TRBM 4 2 5 5 5 5 MRBM 5 L 13	•	1	D, 36	2	1	. 1	. 3	1 20	25)	X1		
TOTALS 85	9		36	-	1		3	21	1	4		

25X1

TOP SECRET

ır.

Approved For Poloses 2002/12/00 - CIA DDD707054

TOP SECRET